

(1964)

PETERS

Sporting Ammunition

FOR SHOTGUNS, RIFLES, PISTOLS & REVOLVERS



WITH FULL LINE OF
REMINGTON FIREARMS





CONTENTS

CARTRIDGES

	PAGE
RIM FIRE_____	1-3
CENTER FIRE RIFLE_____	4-10
CENTER FIRE PISTOL AND REVOLVER_____	14-18

BALLISTICS

CENTER FIRE RIFLE_____	11-14
CENTER FIRE PISTOL AND REVOLVER_____	21-22
CALIBER SUGGESTIONS_____	15
CARTRIDGE INTERCHANGEABILITY_____	23

SHOTGUN SHELLS

HIGH VELOCITY_____	25-26
VICTOR_____	27
TARGET LOADS_____	28
GAME GETTING CHART_____	29

REMINGTON GUNS

SHOTGUNS_____	30-32
BIG GAME RIFLES_____	33-37
22 CALIBER RIFLES_____	38-45
TARGET RIFLES_____	46-48
XP-100 BOLT ACTION HANDGUN_____	49

RIM FIRE CARTRIDGES

**NEWEST SMOKELESS
POWDER** for maximum
power — contributes
to uniformly fine
accuracy — flat
trajectory — long
range smash!

**STRONG HARD BRASS
CASE**, uniformly
crimped for consist-
ently accurate
shooting!

SPECIAL LUBRICATION
protects the rifling of
the barrel!

**"KLEANBORE"
NON-CORROSIVE
PRIMING**
provides split-second
ignition.

**"MICRO-PERFECT"
BULLET**, produced
from lead selected
for highest quality,
made for perfect
mesh with rifling
of the barrel!


**"HIGH VELOCITY" 22s
WITH "GOLDEN" BULLETS**
"High Velocity" 22s are the
answer to the shooter's
prayer. They deliver the flat
trajectory and smashing
knockdown power at long
range needed to put small
game and pests down for
keeps. Exclusive plating
gives clean, hard, smooth
finish. Cannot collect action
fouling lint or grit.

STANDARD VELOCITY AND MATCH 22s

Peters Standard Velocity
22s are popular priced
cartridges featuring Peters
"Kleanbore" priming.
Peters Match 22s are de-
signed for perfect accuracy
with a uniform center of
impact over a long series of
shots. Peters Match 22s for
competitive pistol or rifle
shooting, and Peters
Standard Velocity 22s for
small game and "plinking."



HIGH VELOCITY



STANDARD VELOCITY



MATCH
CARTRIDGES



SHOT
CARTRIDGE



BLANK
CARTRIDGE

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED		KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE						BOX	CASE
a	22 SHORT	†2267 2268	29 27	*Lead *Lead Hollow Pt.	50 50	10,000 10,000	h	22 WIN. AUTO.	2237	45	Lead	50	5,000
b	22 LONG	2269	29	*Lead	50	10,000	i	22 LONG RIFLE (Rifle Match)	2226	40	Lead	50	10,000
c	22 LONG RIFLE	†2283 2284	40 36	*Lead *Hollow Pt.	50 50	10,000 10,000	j	22 LONG RIFLE (Pistol Match)	2228	40	Lead	50	10,000
d	22 W.R.F. (Rem. Special)	2291	45	Lead	50	5,000	k	22 SHOT CART.	2299	#12 shot	—	50	10,000
e	22 SHORT "TARGET"	2214	29	Lead	50	10,000	l	22 SHORT BLANK	2249	—	—	50	10,000
f	22 SHORT GALLERY "KRUMBLE BALL"	2204 2205	29 15	Lead Special Comp.	250 250	10,000 10,000							
g	22 LONG RIFLE "TARGET"	2224	40	Lead	50	10,000							

*High Velocity

† Illustrated

CENTER FIRE RIFLE CARTRIDGES

featuring
"inner-belted" bullets

**PROGRESSIVE BURNING
POWDER** provides
proper velocity and
extreme accuracy at
safe pressure limits.

**"INNER BELTED"
BULLET** with its
notched jacket and
thick mid-section
assures uniform
expansion.

PRIMER sealed
against gun oil by
Peters "Oil-Tite"
process.

**TOP QUALITY BRASS
CASE** with micro close
tolerances.

**"RUSTLESS" NON-
CORROSIVE PRIMING**
provides split-second
ignition.

PROTECTED POINT EXPANDING



"INNER-BELTED" HOLLOW POINT



METAL CASE HOLLOW POINT



METAL CASE



"INNER-BELTED" POINTED SOFT POINT




"INNER-BELTED" SOFT POINT




SOFT POINT



TAPERED HEEL, POINTED





KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	BOX	PACKED CASE
1	22 HORNET	2274 †2276	45 45	*Metal Case Hollow Pt. *Soft Pt.	50 50	2,000 2,000
2	222 REMINGTON	2244	50	*Soft Pt.	20	1,000
3	222 REM. MAG.	2246	55	*Soft Pt.	20	1,000
3-A	223 REMINGTON (5.56mm.)	2230	55	*Soft Pt.	20	1,000
4	6mm. REM.	6610	100	***Inner-Belted,** Ptd. Soft Pt.	20	1,000
4-A	243 WIN.	2431 †2432	80 100	*Pointed Soft Pt. ***Inner-Belted,** Ptd. Soft Pt.	20 20	1,000 1,000
5	244 REMINGTON	†2441 2442 2443	75 90 90	*Pointed Soft Pt. *Pointed Soft Pt. *Protected Pt. Expanding	20 20 20	1,000 1,000 1,000
6	250 SAVAGE	2572 2568 †2570	87 100 100	*Soft Pt. **Inner-Belted,** Soft Pt. ***Inner-Belted,** Ptd. Soft Pt.	20 20 20	1,000 1,000 1,000
7	25-20 WIN.	2555 2552 †2553	60 86 86	*Metal Case Hollow Pt. Lead Soft Pt.	50 50 50	2,000 2,000 2,000
8	257 ROBERTS	2584	117	***Inner-Belted,** Soft Pt.	20	1,000
9	25-35 WIN.	2582	117	***Inner-Belted,** Soft Pt.	20	1,000

*High Velocity

†Illustrated



10

11

11-A

12

13


13-A

14

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
10	264 WIN. MAG.	2641	100	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
		†2642	140	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
11	270 WIN.	2701	100	• Pointed Soft Pt.	20	1,000
		†2704	130	• Protected Pt. Expanding	20	1,000
		2705	130	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
		2702	150	• Inner-Belted," Soft Pt.	20	1,000
11-A	7 mm. REM. MAG.	†7712	150	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
		7713	175	• Inner-Belted," Soft Pt.	20	1,000
12	7mm. MAUSER	2801	175	Soft Pt.	20	1,000
13	280 REM.	2813	100	• Protected Pt. Expanding	20	1,000
		†2810	125	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
		2811	150	• "Inner-Belted," Ptd. Soft Pt.	20	1,000
		2812	165	• "Inner-Belted," Soft Pt.	20	1,000
13-A	30 CARBINE	3010	110	• Soft Pt.	50	3,000
14	30-30 WIN.	†3044	150	• "Inner-Belted," Soft Pt.	20	1,000
		3064	160	• Metal Case	20	1,000
		3043	170	• "Inner-Belted," Hol. Pt.	20	1,000
		3058	170	• "Inner-Belted," Soft Pt.	20	1,000

• High Velocity


† Illustrated



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
15	30 REM.	3054	170	*"Inner-Belted," Soft Pt.	20	1,000
16	30-40 Krag	3046	180	*"Inner-Belted," Soft Pt.	20	1,000
		3051	180	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		†3047	220	*"Inner-Belted," Soft Pt.	20	1,000
17	30-06 SPRINGFIELD	3025	125	*Pointed Soft Pt.	20	1,000
		3077	150	*Protected Pt. Expanding	20	1,000
		3033	150	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		†3039	180	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		3080	180	*Protected Pt. Expanding	20	1,000
		3056	180	*"Inner-Belted," Soft Pt.	20	1,000
		3079	180	Match Metal Case Ptd. Taper Heel	20	1,000
		3038	220	*"Inner-Belted," Soft Pt.	20	1,000
18	300 SAVAGE	3024	150	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		3019	150	*"Inner-Belted," Soft Pt.	20	1,000
		3084	150	*Protected Pt. Expanding	20	1,000
		†3021	180	*"Inner-Belted," Soft Pt.	20	1,000
		3023	180	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
19	300 H.&H. MAG.	†3028	180	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		3029	220	*"Inner-Belted," Soft Pt.	20	1,000
19 - A	300 WIN. MAG.	3002	150	*Pointed Soft Pt.	20	1,000
		†3003	180	*Pointed Soft Pt.	20	1,000
20	303 BRITISH	3095	215	*"Inner-Belted," Soft Pt.	20	1,000
		†3085	180	Soft Pt.	20	1,000

*High Velocity

†Illustrated



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	BOX	PACKED CASE
21	303 SAVAGE	3035	180	*"Inner-Belted," Soft Pt.	20	1,000
22	308 WIN.	3086	110	*Pointed Soft Pt.	20	1,000
		†3087	150	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		3088	180	*"Inner-Belted," Ptd. Soft Pt.	20	1,000
		3089	180	*"Inner-Belted," Soft Pt.	20	1,000
23	8mm. (7.9mm.) MAUSER	3102	170	*"Inner-Belted," Soft Pt.	20	1,000
24	32-20 WIN.	3272	80	*Metal Case Hollow Pt.	50	2,000
		†3269	100	Lead	50	2,000
		3270	100	Soft Pt.	50	2,000
25	32 WIN. SPEC'L	3278	170	*"Inner-Belted," Hol. Pt.	20	1,000
		†3279	170	*"Inner-Belted," Soft Pt.	20	1,000
26	32 REM.	3292	170	*"Inner-Belted," Soft Pt.	20	1,000
27	32-40 WIN.	3288	165	Soft Pt.	20	1,000
28	348 WIN.	3481	150	*Soft Pt.	20	1,000
		†3484	200	*"Inner-Belted," Soft Pt.	20	1,000

*High Velocity

†Illustrated



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
29	351 WIN. SELF-LOADING	3586 †3585	177 180	Metal Case Soft Pt.	50 50	2,000 2,000
30	35 REM.	3592 3594 †3589	150 200 200	***"Inner-Belted," Ptd. Soft Pt. ***"Inner-Belted," Hol. Pt. ***"Inner-Belted," Soft Pt.	20 20 20	1,000 1,000 1,000
31	375 H.&H. MAG.	†3751 3752	270 300	*Soft Pt. *Metal Case	20 20	1,000 1,000
32	38-40 WIN.	3856	180	Soft Pt.	50	2,000
33	38-55 WIN.	3872	255	Soft Pt.	20	1,000
33-A	44 REM. MAG.	4412	240	Soft Pt. "Oil-Tite"	20	1,000
34	44-40 WIN.	4409	200	Soft Pt.	50	2,000

*High Velocity

† Illustrated



35



35-A



36

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
35	444 MARLIN	4440	240	Soft Pt.	20	1,000
35-A	45-70 GOV.	4553	405	Soft Pt.	20	1,000
36	458 WIN. MAG.	†4581	510	*Soft Pt.	20	500
		4582	500	*Metal Case	20	500

*High Velocity

†Illustrated

KEY	BLANK CARTRIDGE	INDEX NO.	BOX	PACKED	
				BOX	CASE
B-1	32 S. & W.	3297	50		5,000
B-2	38 S. & W.	3894	50		2,000
B-3	38 SPECIAL	3895	50		2,000
B-4	5 IN 1 BLANK	††9005	50		1,000

††Remington Brand Only




B-1



B-2



B-4



B-3



BALLISTICS CENTER FIRE RIFLE CARTRIDGES

Index No.	Cartridge	Bullet		VELOCITY—FEET PER SECOND				ENERGY—FOOT POUNDS				TRAJECTORY**		
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	50 yds.	200 yds.	300 yds.
*0218	218 Bee Hi-Speed	46	Mushroom	2860	2160	1610	1200	835	475	265	145	+0.2"	-6.4"	-25.9"
*0219	219 Zipper Hi-Speed	56	Mushroom	3110	2440	1940	1550	1200	740	465	300	+0.1	-4.9	-18.9
2274	22 Hornet High Velocity	45	M.C.H.P.	2690	2030	1510	1150	720	410	230	130	+0.3	-7.8	-30.5
2276	22 Hornet High Velocity	45	S.P.	2690	2030	1510	1150	720	410	230	130	+0.3	-7.8	-30.5
*0822	220 Swift Hi-Speed	48	S.P.	4110	3490	2930	2440	1800	1300	915	635	-0.2	-2.1	-7.9
2244	222 Remington High Velocity	50	S.P.	3200	2660	2170	1750	1140	785	520	340	0.0	-4.0	-15.7
*0922	222 Remington Hi-Speed	50	M.C.	3200	2660	2170	1750	1140	785	520	340	0.0	-4.0	-15.7
2246	222 Remington Mag. High Vel.	55	S.P.	3300	2800	2340	1930	1330	955	670	455	0.0	-3.6	-13.8
2230	223 Remington (5.56mm.)	55	S.P.	3300	2800	2340	1930	1330	955	670	455	0.0	-3.6	-13.8
2431	243 Win. High Velocity	80	P.S.P.	3500	3080	2720	2410	2180	1690	1320	1030	-0.1	-2.8	-10.2
2432	243 Win. High Velocity	100	I.B.P.S.P.	3070	2790	2540	2320	2090	1730	1430	1190	0.0	-3.5	-12.2
2441	244 Remington High Velocity	75	P.S.P.	3500	3070	2660	2290	2040	1570	1180	875	-0.1	-2.7	-10.4
2442	244 Remington High Velocity	90	P.S.P.	3200	2850	2530	2230	2050	1630	1280	995	-0.1	-3.4	-12.3
2443	244 Remington High Velocity	90	P.P. Exp.	3200	2930	2670	2400	2050	1720	1420	1150	-0.1	-3.2	-11.3
2555	25-20 Win. High Velocity	60	M.C.H.P.	2250	1660	1240	1030	675	365	205	140	+0.7	-11.5	-48.8
2552	25-20 Win.	86	Lead	1460	1180	1030	940	405	265	200	170	+2.1	-23.9	-79.4
2553	25-20 Win.	86	S.P.	1460	1180	1030	940	405	265	200	170	+2.1	-23.9	-79.4
2572	250 Sav. High Velocity	87	S.P.	3030	2660	2330	2060	1770	1370	1050	820	+0.1	-4.0	-14.2
2568	250 Sav. High Velocity	100	I.B.S.P.	2820	2350	1970	1670	1760	1220	860	620	+0.1	-4.8	-19.5
2570	250 Sav. High Velocity	100	I.B.P.S.P.	2820	2500	2210	1940	1760	1390	1080	835	+0.1	-5.3	-16.5
2582	25-35 Win. High Velocity	117	I.B.S.P.	2300	1950	1680	1460	1370	985	730	555	+0.5	-8.2	-28.6
*5425	257 Roberts Hi-Speed	100	P.S.P.C.L.	2900	2580	2280	2000	1870	1480	1150	885	+0.1	-4.4	-15.6
2584	257 Roberts High Velocity	117	I.B.S.P.	2650	2280	1950	1690	1820	1350	985	740	+0.2	-5.7	-20.6

*Remington Brand Only

**Inches above (+) or below (-) line of sight. Hold low for (+) figures, high for (-) figures.

ABBREVIATIONS:

I.B.H.P.—"Inner-Belted" Hollow Point

I.B.P.S.P.—"Inner-Belted" Pointed Soft Point

P.P.Exp.—Protected Point Expanding

P.S.P.—Pointed Soft Point

M.C.T.H.—Metal Case Tapered Heel

S.P.—Soft Point

M.C.—Metal Case

I.B.S.P.—"Inner-Belted" Soft Point

M.C.H.P.—Metal Case Hollow Point

Index No.	Cartridge	Bullet	VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				TRAJECTORY**			
			Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	Rifle sighted in at 100 yards	
												50 yds.	200 yds.	300 yds.
2801	7 mm. Mauser	175	S.P.	2490	2170	1900	1680	2410	1830	1400	1100	+0.3"	—6.4"	—22.4"
3010	30 Carbine	110	S.P.	1980	1540	1230	1040	955	575	370	260	+1.0	—14.1	—51.8
3044	30-30 Win. High Velocity	150	I.B.S.P.	2410	1960	1620	1360	1930	1280	875	615	+0.4	—8.3	—29.5
3064	30-30 Win. High Velocity	160	M.C.	2220	1870	1600	1370	1750	1240	910	665	+0.5	—9.1	—31.7
3043	30-30 Win. High Velocity	170	I.B.H.P.	2220	1890	1630	1410	1860	1350	1000	750	+0.7	—8.2	—29.6
3058	30-30 Win. High Velocity	170	I.B.S.P.	2220	1890	1630	1410	1860	1350	1000	750	+0.7	—8.2	—29.6
3054	30 Remington High Velocity	170	I.B.S.P.	2120	1820	1560	1350	1700	1250	920	690	+0.6	—9.5	—33.8
3046	30-40 Krag High Velocity	180	I.B.S.P.	2470	2120	1830	1590	2440	1790	1340	1010	+0.3	—6.4	—23.4
3051	30-40 Krag High Velocity	180	I.B.P.S.P.	2470	2250	2040	1850	2440	2020	1660	1370	+0.3	—6.1	—20.2
3047	30-40 Krag High Velocity	220	I.B.S.P.	2200	1930	1700	1510	2360	1820	1410	1110	+0.5	—8.3	—28.5
*6630	30-06 Springfield Hi-Speed	110	P.S.P.	3370	2860	2400	1990	2770	2000	1410	965	—0.1	—3.4	—13.1
3056	30-06 Springfield High Velocity	180	I.B.S.P.	2700	2330	2010	1740	2910	2170	1610	1210	+0.2	—5.6	—19.2
3038	30-06 Springfield High Velocity	220	I.B.S.P.	2410	2120	1870	1670	2830	2190	1710	1360	+0.3	—6.7	—23.6
3029	300 H&H Magnum High Velocity	220	I.B.S.P.	2620	2320	2050	1830	3350	2630	2050	1630	+0.2	—5.7	—19.1
3019	300 Sav. High Velocity	150	I.B.S.P.	2670	2270	1930	1660	2370	1710	1240	915	+0.2	—5.9	—20.4
3024	300 Sav. High Velocity	150	I.B.P.S.P.	2670	2390	2130	1890	2370	1900	1510	1190	+0.2	—5.4	—17.9
3021	300 Sav. High Velocity	180	I.B.S.P.	2370	2040	1760	1520	2240	1660	1240	920	+0.4	—7.5	—25.3
3023	300 Sav. High Velocity	180	I.B.P.S.P.	2370	2160	1960	1770	2240	1860	1530	1250	+0.4	—6.5	—22.3
3095	303 British High Velocity	180	I.B.S.P.	2540	2300	2090	1900	2580	2120	1750	1440	+0.2	—5.8	—19.0
3085	303 British	215	S.P.	2180	1900	1660	1460	2270	1720	1310	1020	+0.6	—9.1	—30.2
3035	303 Sav. High Velocity	180	I.B.S.P.	2140	1810	1550	1340	1830	1310	960	715	+0.6	—10.0	—33.8
3086	308 Win. High Velocity	110	P.S.P.	3340	2810	2340	1920	2730	1930	1340	900	0.0	—3.7	—13.6
3088	308 Win. High Velocity	180	I.B.P.S.P.	2610	2390	2170	1970	2720	2280	1870	1540	+0.3	—5.0	—17.8
3089	308 Win. High Velocity	180	I.B.S.P.	2610	2250	1940	1680	2720	2020	1500	1130	+0.2	—6.0	—20.8

*Remington Brand Only

**Inches above (+) or below (-) line of sight. Hold low for (+) figures, high for (-) figures.

BALLISTICS CONTINUED

Index No.	Cartridge	Bullet		VELOCITY — FEET PER SECOND				ENERGY — FOOT POUNDS				TRAJECTORY**		
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	Rifle sighted in at 100 yards		
3292	32 Remington High Velocity	170	I.B.S.P.	2120	1800	1540	1340	1700	1220	895	680	+0.6"	-9.5"	-33.3"
3278	32 Win. Spec. High Velocity	170	I.B.H.P.	2280	1920	1630	1410	1960	1390	1000	750	+0.5	-8.5	-29.8
3279	32 Win. Spec. High Velocity	170	I.B.S.P.	2280	1920	1630	1410	1960	1390	1000	750	+0.5	-8.5	-29.8
3272	32-20 Win. High Velocity	80	M.C.H.P.	2100	1430	1090	950	780	365	210	160	+1.0	-16.2	-58.1
3269	32-20 Win.	100	Lead	1290	1060	940	840	370	250	195	155	+2.8	-30.1	-97.2
3270	32-20 Win.	100	S.P.	1290	1060	940	840	370	250	195	155	+2.8	-30.1	-97.2
3288	32-40 Win.	165	S.P.	1440	1250	1100	1010	760	570	445	375	+1.9	-21.5	-70.3
3481	348 Win. High Velocity	150	S.P.	2890	2360	1860	1420	2780	1850	1150	670	+0.1	-5.1	-20.2
3484	348 Win. High Velocity	200	I.B.S.P.	2530	2140	1820	1570	2840	2030	1470	1090	+0.3	-7.1	-23.7
3592	35 Remington High Velocity	150	I.B.P.S.P.	2400	1960	1580	1280	1920	1280	835	545	+0.4	-8.1	-30.7
3594	35 Remington High Velocity	200	I.B.H.P.	2100	1710	1390	1160	1950	1300	855	605	+0.7	-10.9	-39.4
3589	35 Remington High Velocity	200	I.B.S.P.	2100	1710	1390	1160	1950	1300	855	605	+0.7	-10.9	-39.4
3585	351 Win. Self-Loading	180	S.P.	1850	1560	1310	1140	1370	975	685	520	+1.0	-14.5	-51.8
3586	351 Win. Self-Loading	177	M.C.	1850	1560	1310	1140	1370	975	685	520	+1.0	-14.5	-51.8
3856	38-40 Win.	180	S.P.	1330	1070	960	850	705	455	370	290	+2.7	-29.1	-93.7
3872	38-55 Win.	255	S.P.	1320	1160	1050	1000	985	760	625	565	+2.4	-25.1	-81.2
4411)	44 Remington Magnum	240	S.P.	1750	1360	1110	980	1670	985	655	510	+1.4	-17.5	-64.5
4412)														
4409	44-40 Win.	200	S.P.	1310	1050	940	830	760	490	390	305	+2.8	-29.6	-95.2
4440	444 Marlin	240	S.P.	2400	1845	1410	1125	3069	1814	1059	674	+0.6	-9.6	-37.6
4553	45-70 Government	405	S.P.	1320	1160	1050	990	1570	1210	990	880	+2.4	-25.1	-81.2
3102	8 mm. Mauser High Velocity	170	I.B.S.P.	2570	2140	1790	1520	2490	1730	1210	870	+0.3	-6.6	-24.7
*8808	8 mm. Lebel Hi-Speed	170	S.P.	2640	2260	1960	1700	2630	1930	1450	1090	+0.2	-6.0	-20.8
4581	458 Win. Magnum High Velocity	510	S.P.	2130	1840	1600	1400	5140	3830	2900	2220	+0.6	-9.2	-32.1
4582	458 Win. Magnum High Velocity	500	M.C.	2130	1910	1700	1520	5040	4050	3210	2570	+0.6	-8.9	-29.4

**Inches above (+) or below (-) line of sight. Hold low for (+) figures, high for (-) figures.

*Remington Brand Only

LONG RANGE BALLISTICS

Index No.	Cartridge	Bullet		VELOCITY — FEET PER SECOND						ENERGY — FOOT POUNDS						TRAJECTORY**			
		Wgt. Grs.	Style	Muzzle	100 yds.	200 yds.	300 yds.	400 yds.	500 yds.	Muzzle	100 yds.	200 yds.	300 yds.	400 yds.	500 yds.	100 yds.	300 yds.	400 yds.	500 yds.
6610	6 MM. Remington High Velocity	100	I.B.P.S.P.	3190	2920	2660	2420	2190	1980	2260	1890	1570	1300	1060	870	+1.6"	-6.5"	-18.9"	-38.7"
2641	264 Win. Magnum High Velocity	100	I.B.P.S.P.	3700	3260	2880	2550	2270	2030	3040	2360	1840	1440	1140	915	+1.1	-5.5	-15.6	-32.2
2642	264 Win. Magnum High Velocity	140	I.B.P.S.P.	3200	2940	2700	2480	2280	2100	3180	2690	2270	1910	1620	1370	+1.5	-6.1	-18.4	-36.7
2813	280 Remington High Velocity	100	P.P. Exp.	3570	3160	2770	2420	2090	1800	2830	2220	1700	1300	970	720	+1.3	-5.8	-17.6	-37.5
2810	280 Remington High Velocity	125	I.B.P.S.P.	3190	2880	2590	2320	2070	1840	2820	2300	1860	1490	1190	940	+1.6	-6.7	-19.8	-41.5
2811	280 Remington High Velocity	150	I.B.P.S.P.	2900	2670	2450	2220	2000	1790	2800	2370	2000	1640	1330	1070	+2.0	-8.1	-23.0	-47.0
2812	280 Remington High Velocity	165	I.B.S.P.	2820	2510	2220	1970	1740	1530	2910	2310	1810	1420	1110	860	+2.3	-9.3	-27.6	-57.5
2701	270 Win. High Velocity	100	P.S.P.	3480	3070	2690	2340	2010	1700	2690	2090	1600	1220	890	640	+1.3	-6.3	-18.5	-38.7
2705	270 Win. High Velocity	130	I.B.P.S.P.	3140	2850	2580	2320	2090	1860	2840	2340	1920	1550	1260	1000	+1.6	-7.0	-20.1	-40.7
2704	270 Win. High Velocity	130	P.P. Exp.	3140	2880	2630	2400	2180	1980	2840	2390	1990	1660	1370	1130	+1.6	-6.5	-19.6	-39.7
2702	270 Win. High Velocity	150	I.B.S.P.	2800	2440	2140	1870	1660	1470	2610	1980	1520	1160	915	720	+2.4	-9.5	-29.6	-61.7
7712	7 MM. Rem. Mag. High Velocity	150	I.B.P.S.P.	3260	2970	2700	2450	2210	1990	3540	2945	2435	1990	1620	1310	+1.5	-6.3	-18.4	-37.7
7713	7 MM. Rem. Mag. High Velocity	175	I.B.S.P.	3070	2720	2400	2120	1870	1640	3660	2870	2240	1750	1360	1040	+2.0	-7.8	-23.1	-49.1
3025	30-06 Springfield High Velocity	125	P.S.P.	3200	2810	2480	2200	1960	1740	2840	2190	1710	1340	1070	840	+1.6	-7.4	-21.4	-44.9
3033	30-06 Springfield High Velocity	150	I.B.P.S.P.	2970	2670	2400	2130	1890	1670	2930	2370	1920	1510	1190	930	+1.9	-7.5	-22.6	-45.7
3077	30-06 Springfield High Velocity	150	P.P. Exp.	2970	2710	2470	2240	2020	1820	2930	2440	2030	1670	1360	1100	+1.9	-7.5	-22.6	-45.7
3039	30-06 Springfield High Velocity	180	I.B.P.S.P.	2700	2470	2250	2040	1850	1670	2910	2440	2020	1660	1370	1110	+2.4	-9.0	-27.1	-55.7
3080	30-06 Springfield High Velocity	180	P.P. Exp.	2700	2480	2280	2080	1900	1730	2910	2460	2080	1730	1440	1190	+2.4	-8.5	-25.6	-52.7
3079	30-06 Springfield High Velocity	180	M.C.T.H.	2700	2520	2350	2190	2040	1890	2910	2540	2200	1900	1660	1430	+2.3	-8.8	-25.1	-50.0
3028	300 H&H Magnum High Velocity	180	I.B.P.S.P.	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340	+1.9	-7.6	-22.5	-45.5
*7730	300 H&H Magnum Match	180	M.C.T.H.	2920	2740	2550	2380	2220	2060	3400	3000	2600	2260	1970	1690	+1.9	-7.4	-20.9	-42.0
3002	300 Win. Magnum	150	P.S.P.	3400	3050	2730	2430	2150	1890	3850	3100	2480	1970	1540	1190	+1.45	-6.05	-18.10	-37.65
3003	300 Win. Magnum	180	P.S.P.	3070	2850	2640	2440	2250	2060	3770	3250	2790	2380	2020	1700	+1.70	-6.90	-19.40	-38.90
3084	300 Sav. High Velocity	150	P.P. Exp.	2670	2410	2170	1950	1750	1550	2370	1930	1570	1270	1020	800	+2.5	-10.5	-29.6	-57.2
3087	308 Win. High Velocity	150	I.B.P.S.P.	2860	2570	2300	2050	1810	1590	2730	2200	1760	1400	1090	840	+2.1	-8.5	-25.6	-53.7
3751	375 H&H Magnum High Velocity	270	S.P.	2740	2460	2210	1990	1800	1620	4500	3620	2920	2370	1940	1570	+2.4	-9.8	-27.6	-56.0
3752	375 H&H Magnum High Velocity	300	M.C.	2550	2180	1860	1590	1380	1210	4330	3160	2300	1680	1200	975	+3.1	-12.5	-37.6	-79.2

**Inches above (+) or below (-) line of sight. Hold low for (+) figures, high for (-) figures.

CALIBER SUGGESTIONS

FOR BIGGER GAME

Moose, elk, grizzly and brown bear, caribou, elephant, rhino.

- 270 Win.
150 grain I.B.S.P.
- 280 Remington
165 grain I.B.S.P.
150 grain I.B.P.S.P.
- 7 MM. Remington Mag.
175 grain I.B.S.P.
- 30-40 Krag
220 grain I.B.S.P.
- 30-06 Spfd.
220 grain I.B.S.P.
180 grain I.B.P.S.P.
- 300 Sav.
180 grain I.B.S.P.
180 grain I.B.P.S.P.
- 300 H&H Mag.
220 grain I.B.S.P.
180 grain I.B.P.S.P.
- 35 Remington
200 grain I.B.S.P.
- 375 H&H Mag.
270 grain S.P.
300 grain M.C.
- 458 Win. Mag.
510 grain S.P.
500 grain M.C.

FOR HARD TO REACH GAME

Antelope, mountain goat, mountain sheep.

- 257 Roberts
117 grain I.B.S.P.
- 270 Win.
130 grain I.B.P.S.P.
130 grain P.P.E.
- 264 Win. Mag.
140 grain I.B.P.S.P.
- 280 Remington
150 grain I.B.P.S.P.
125 grain I.B.P.S.P.
100 grain P.P.E.
- 7 MM. Remington Mag.
150 grain I.B.P.S.P.
- 30-40 Krag
180 grain I.B.P.S.P.
- 30-06 Spfd.
150 grain I.B.P.S.P.
150 grain P.P.E.
180 grain I.B.P.S.P.
- 300 Sav.
150 grain I.B.S.P.
150 grain P.P.E.
- 300 H&H Mag.
180 grain I.B.P.S.P.
- 308 Win.
150 grain I.B.P.S.P.
180 grain I.B.P.S.P.

ANOTHER GOOD SELECTION

For deer, mountain lion, black bear, jaguar.

- 264 Win. Mag.
100 grain I.B.P.S.P.
140 grain I.B.P.S.P.
- 270 Win.
150 grain I.B.S.P.
130 grain B.P.S.P.
- 280 Remington
165 grain I.B.S.P.
150 grain I.B.P.S.P.
- 7 MM. Remington Mag.
150 grain I.B.P.S.P.
175 grain I.B.S.P.
- 30-06 Spfd.
180 grain I.B.S.P.
180 grain I.B.P.S.P.
150 grain P.P.E.
180 grain P.P.E.
- 30 Remington
170 grain I.B.P.S.P.
- 6 MM. Remington
100 grain I.B.P.S.P.
- 300 Sav.
150 grain P.P.E.
- 35 Remington
200 grain I.B.S.P.
150 grain I.B.P.S.P.
- 30-30 Win.
170 grain I.B.S.P.

FOR SMALLER GAME

Woodchuck, fox, bobcat, coyote, wolf.

- 222 Remington
50 grain S.P.
- 222 Remington Mag.
55 grain S.P.
- 223 Remington
55 grain S.P.
- 244 Remington
75 grain P.S.P.
90 grain P.S.P.
- 270 Win.
100 grain P.S.P.
- 22 Hornet
45 grain S.P.
45 grain Hollow Pt.
- 250 Sav.
87 grain S.P.
100 grain I.B.P.S.P.
- 257 Roberts
117 grain I.B.S.P.
- 280 Remington
125 grain I.B.P.S.P.
100 grain P.P.E.
- 30-06 Spfd.
110 grain P.S.P.



CENTER FIRE PISTOL & REVOLVER CARTRIDGES

UNIFORM LOADING of newest smokeless powder gives maximum effective performance.

UNIFORM CRIMPING holds bullet and aids perfect combustion and improved accuracy. "Oil-Tite" at crimp and primer.

BULLET OF SPECIAL DESIGN, close tolerance and weight. Properly lubricated to increase accuracy and prevent barrel fouling.

STRONG BRASS CASE of finest quality.

PETER'S EXCLUSIVE "RUSTLESS" PRIMING gives fast, positive ignition. Will not cause rust or corrosion.



"WAD CUTTER"



METAL PENETRATING




METAL POINT



LEAD



LEAD GAS-CHECK



PETERS



37



37-A



38



39



40



41



42



43



44

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
37	221 REM. "Fire Ball"	2215		*Soft Pt.	50	1,000
37-A	22 REM. "JET" MAG.	2210	40	*Jacketed Soft Pt.	50	2,000
38	25 (6.35mm.) AUTO. PISTOL	2562	50	Metal Case	50	5,000
39	30 LUGER (7.65mm.) AUTO. PISTOL	3052	93	Metal Case	50	2,000
40	32 S.&W.	3262	88	Lead	50	5,000
41	32 S.&W. LONG	3265	98	Lead	50	4,000
42	32 SHORT COLT	3252	82	Lead	50	5,000
43	32 LONG COLT	3254	82	Lead	50	4,000
44	32 COLT NEW POLICE	3256	100	Lead	50	4,000

*High Velocity

PETERS



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
45	32 (7.65mm.) AUTO. PISTOL	3260	71	Metal Case	50	5,000
46	32-20 WIN.	† 3269 3270	100 100	Lead Soft Pt.	50 50	2,000 2,000
47	357 MAGNUM	† 3575 3578	158 158	*Lead *Soft Pt.	50 50	2,000 2,000
48	9mm. LUGER AUTO. PISTOL	3651	124	Metal Case	50	2,000
49	380 (9mm.) AUTO. PISTOL	3853	95	Metal Case	50	2,000
50	38 AUTO. COLT PISTOL	3851	130	Metal Case	50	2,000
51	38 SUPER AUTO. COLT PISTOL	3849	130	Metal Case	50	2,000
52	38 S.&W.	3822	146	Lead	50	2,000

*High Velocity

† Illustrated

PETERS



KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
53	38 SPECIAL	3847	148	Police Match Lead "Wad Cutter"	50	2,000
		3844	158	Lead	50	2,000
		3826	158	Metal Point	50	2,000
		† 3841	200	Lead	50	2,000
		3810	110	* "Highway Patrol" Metal Penetrating	50	2,000
		3842	158	* Lead	50	2,000
54	38 COLT NEW POLICE	3831	150	Lead	50	2,000
55	38 SHORT COLT	3833	125	Lead	50	2,000
56	38 LONG COLT	3835	150	Lead	50	2,000
57	38-40 WIN.	3856	180	Soft.Pt.	50	2,000
58	41 LONG COLT	4154	195	Lead	50	2,000
58-A	41 REM. MAG.	† 4111	210	Lead	50	1,000
		4110	210	Soft Pt.	50	1,000

* High Velocity

† Illustrated

PETERS



59



60



61



62



63



64

KEY	CARTRIDGE	INDEX NO.	BULLET WT. GRS.	BULLET STYLE	PACKED	
					BOX	CASE
59	44 REM. MAG.	4410	240	*Lead, Gas Check Soft Pt.	50	1,000
		4411	240		50	1,000
60	44 S.&W. SPEC.	4405	246	Lead	50	1,000
61	44-40 WIN.	4409	200	Soft Pt.	50	2,000
62	45 COLT	4502	250	Lead	50	1,000
63	45 AUTO.	4504	230	Metal Case	50	1,000
		4507	185	Police Match Metal Case "Wad Cutter"	50	1,000
		4512	173	*"Highway Patrol" Metal Penetrating	50	1,000
64	45 AUTO. RIM.	4506	230	Lead	50	1,000

*High Velocity

† Illustrated

BALLISTICS

PISTOL & REVOLVER CARTRIDGES

Index Number	Cartridge	Bullet		Velocity—Feet Per Second			Energy—Foot Pounds			Mid-Range Trajectory (in.)		Barrel Inches
		Wgt. Grs.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
2215	221 Remington "Fire Ball"	50	S.P.	2650	2420	2200	780	650	535	0.2	0.8	10½
2210	22 Remington "Jet" Center Fire Mag.	40	J.S.P.	2460	2100	1780	535	390	280	0.2	1.0	8¾
2562	25 (6.35mm) Automatic	50	M.C.	810	755	700	73	63	54	1.8	7.7	2
3052	30 (7.65) Luger	93	M.C.	1220	1110	1040	305	255	225	0.9	3.5	4½
3262	32 S. & W.	88	Lead	680	645	610	90	81	73	2.5	10.5	3
3265	32 S. & W. Long	98	Lead	705	670	635	115	98	88	2.3	10.5	4
3252	32 Short Colt	80	Lead	745	665	590	100	79	62	2.2	9.9	4
3254	32 Long Colt	82	Lead	755	715	675	100	93	83	2.0	8.7	4
3256	32 Colt New Police	100	Lead	680	635	595	100	88	77	2.5	11.0	4
3260	32 (7.65mm) Automatic Pistol	71	M.C.	960	905	850	145	130	115	1.3	5.4	4
3270	32-20 Win.	100	S.P.	1030	970	920	271	209	188	1.2	4.4	6
3575	357 Magnum High Velocity	158	Lead	1410	1240	1120	695	540	440	0.6	2.8	8¾
3578	357 Magnum High Velocity	158	S.P.	1550	1380	1230	845	665	530	0.5	2.5	8¾
3651	9mm Luger	124	M.C.	1120	1030	965	345	290	255	1.0	4.1	4
3853	380 Automatic (9mm)	95	M.C.	955	865	785	190	160	130	1.4	5.9	3¾
3851	38 Automatic	130	M.C.	1040	980	925	310	275	245	1.0	4.7	4½
3849	38 Super Automatic	130	M.C.	1280	1140	1050	475	375	320	0.8	3.4	5
3822	38 S. & W.	146	Lead	685	650	620	150	135	125	2.4	10.0	4
3847	38 Special Police Match Wad Cutter	148	Lead	770	655	560	195	140	105	2.1	10.0	6

M.C. — Metal Case

J.S.P. — Jacketed Soft Point

CONTINUED

BALLISTICS (PISTOL & REVOLVER) CONTINUED

Index Number	Cartridge	Bullet		Velocity—Feet Per Second			Energy—Foot Pounds			Mid-Range Trajectory (in.)		Barrel Inches
		Wgt. Grs.	Style	Muzzle	50 Yds.	100 Yds.	Muzzle	50 Yds.	100 Yds.	50 Yds.	100 Yds.	
3844	38 Special	158	Lead	855	820	790	255	235	220	1.6	6.5	6
3826	38 Special Metal Point	158	M.P.	855	820	790	255	235	220	1.6	6.5	6
3841	38 Special	200	Lead	730	695	665	235	215	195	2.2	9.0	6
3810	38 Spec. H'way Patrol Metal Penetrating H.V.	110	Special	1320	1130	1020	425	310	255	0.7	3.4	6
3842	38 Special High Velocity	158	Lead	1090	1030	980	415	370	335	1.0	4.2	6
3831	38 Colt New Police	150	Lead	680	645	615	155	140	125	2.5	10.5	4
3833	38 Short Colt	125	Lead	730	685	645	150	130	115	2.2	9.4	6
3835	38 Long Colt	150	Lead	730	700	670	175	165	150	2.1	8.8	6
3856	38-40 Win.	180	S.P.	975	920	870	380	338	302	1.5	5.4	5
4154	41 Long Colt	195	Lead	730	705	680	230	205	200	2.2	8.8	6
4111	41 Remington Magnum	210	Lead	1050	985	930	515	450	405	1.0	4.4	8 $\frac{3}{8}$
4110		210	S.P.	1500	1350	1220	1050	850	695	0.5	2.6	8 $\frac{3}{8}$
4410	44 Remington Magnum	240	Lead, gas-check	1470	1280	1120	1150	875	670	0.6	2.7	6 $\frac{1}{2}$
4405	44 S. & W. Special	246	Lead	755	725	695	310	285	265	2.0	8.3	6 $\frac{1}{2}$
4409	44-40 Win.	200	S.P.	975	920	865	422	376	332	0.5	5.7	7 $\frac{1}{2}$
4502	45 Colt	250	Lead	860	820	780	410	375	340	1.6	6.6	5 $\frac{1}{2}$
4504	45 Automatic	230	M.C.	850	810	775	370	335	305	1.6	6.5	5
4507	45 Automatic Police Match Wad Cutter	185	M.C.	775	695	625	245	200	160	2.0	9.0	5
4506	45 Automatic Rim	230	Lead	810	770	730	335	305	270	1.8	7.4	5 $\frac{1}{2}$

H.V.—High Velocity

M.C.—Metal Case

M.P.—Metal Penetrating

S.P.—Soft Point

C A R T R I D G E I N T E R C H A N G E A B I L I T Y

RIM FIRE

22 W.R.F.
 22 Remington Special
 22 Winchester M/1890
 25 Stevens Short in 25
 Stevens but not conversely
 32 Short in 32 Long
 but not conversely

CENTER FIRE

25-20 Winchester, Marlin,
 Remington
 25-20 Winchester and Marlin
 25-20 W.C.F.
 25-20 Winchester
 25-20 Winchester High Velocity
 25-20 Marlin
 25 Colt Automatic
 25 Automatic Pistol
 25 (6.35 mm.) Automatic Pistol
 6.35 mm. Browning Automatic

30-30 Winchester, Marlin,
 Savage
 30-30 Winchester
 30-30 Marlin
 30-30 Winchester High Velocity
 30 W.C.F.
See Note A
 32 Short Colt in 32 Long Colt
 but not conversely

32 Colt Automatic
 32 Automatic Pistol
 32 (7.65 mm.) Automatic Pistol
 7.65 mm. Automatic Pistol
 32 Smith & Wesson in
 32 Smith & Wesson Long
 but not conversely
 32 Smith & Wesson Long
 32 Colt New Police
 32 Colt Police Positive
 32 Winchester, Marlin,
 Remington*

32 Winchester and Marlin*
 32 W.C.F.*
 32 Winchester*
 32-20 Winchester*
 32-20 Winchester High Velocity*
 32-20 Marlin*
 32-20 Colt L.M.R.*
 32-20 W.C.F.*
 32-20 Winchester and Marlin*
 38 Short Colt in 38 Long Colt
 but not conversely. Both
 can be used in 38 Special
 38 Smith & Wesson
 38 Colt New Police
See Note B
 38 Colt Special
 38 Smith & Wesson Special
 38 Special Police Match
 38 Smith & Wesson Special
 Mid-Range
 38 Special High Velocity (†)

38-44 Special (†)
 38 Special
 38 Special Flat Point
 38 Winchester, Marlin, Remington
 38 Winchester
 38 Remington
 38-40 Winchester
 38 W.C.F.
 44 Winchester, Marlin, Remington
 44 Winchester
 44 Remington (not Magnum)
 44 W.C.F.
 44-40 Winchester
 44 Smith & Wesson
 in 44 Remington Mag.
 but not conversely
 45-70 Government
 45-70 Marlin
 45-70-405
 9 mm. Luger Automatic Pistol
 9 mm. Parabellum

NOTE: *High Velocity, Hi-Speed Cartridges must not be used in Revolvers, they should be used only in rifles made especially for them. Exceptions: items marked (†) are designed especially for the 38-44 Smith & Wesson Revolver and the 38 Colt Shooting Master. Pressure of these two cartridges is safe for lighter guns, but the recoil is likely to be more unpleasant and the frame may be shaken loose in time.

NOTE A: Not for use in revolvers chambered for 32 Smith & Wesson Long, or 32 Smith & Wesson.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

PLASTIC SHOTGUN SHELLS



"VICTOR" FIELD LOADS

Thirty-one different powder and shot combinations — plus scatter loads for game-getting patterns in close cover. Available in 12, 16, and 20 gauges.



"HIGH VELOCITY" LOADS

Long-Range Power Load. Forty-three different powder and shot combinations; gauges 10 to 410 — plus six different loadings of Peters Buck Shot in 12, 16, and 20 gauges. Peters Rifled Slugs are available in 12, 16, 20, 28, and 410 gauges. All 28 and 410 gauge loads supplied with paper bodies.



- **EXCLUSIVE RIB-LOK CRIMP** — seals out weather . . . seals in factory fresh POWER!
- **EXCLUSIVE POLYETHYLENE BODY** — never swells, never scuffs. Always chambers and functions perfectly.
- **ROUND, HARD SHOT** — perfect game-getting patterns every shot!
- **EXCLUSIVE MOLD-TITE FILLER WAD** — cleans and polishes your barrel with every shot fired!
- **EXCLUSIVE "H" WAD** (IN "HIGH VELOCITY" SHELLS) — perfect gas seal keeps full power behind the shot . . . where it belongs!
- **FINEST PROGRESSIVE BURNING POWDER** in new Plastic Shells stays ballistically stable . . . factory fresh!
- **EXCLUSIVE BASE WAD** — hydraulically formed in the shell under 7½ tons per square inch pressure.
- **STRONG METAL HEAD** — gives extra strength . . . plus corrosion resistance!
- **EXCLUSIVE "KLEANBORE" PRIMING** — the famous non-corrosive priming that keeps your barrel bright and clean!

	LOAD NUMBER	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	STANDARD SHOT SIZES
LONG RANGE LOADS	RX 10 P	10	2 $\frac{7}{8}$	8	—	Blank
	PS 10	10	2 $\frac{7}{8}$	4 $\frac{3}{4}$	1 $\frac{5}{8}$	4
	PS 12	12	2 $\frac{3}{4}$	3 $\frac{3}{4}$	1 $\frac{1}{4}$	BB, 2, 4, 5, 6, 7 $\frac{1}{2}$, 9
	PS 16	16	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$, 9
	PS 16 X	16	2 $\frac{3}{4}$	3 $\frac{1}{4}$	1 $\frac{1}{8}$	4, 5, 6, 7 $\frac{1}{2}$
	PS 20	20	2 $\frac{3}{4}$	2 $\frac{3}{4}$	1	4, 5, 6, 7 $\frac{1}{2}$, 9
	*280	28	2 $\frac{3}{4}$	2 $\frac{1}{4}$	$\frac{3}{4}$	4, 6, 7 $\frac{1}{2}$, 9
	*4190	410	2 $\frac{1}{2}$	—	$\frac{1}{2}$	4, 5, 6, 7 $\frac{1}{2}$, 9
MAGNUM LOADS	*4130	410	3	—	$\frac{3}{4}$	4, 5, 6, 7 $\frac{1}{2}$, 9
	†SP 10 Mag.	10	3 $\frac{1}{2}$	5	2	2, 4 (Mag.)
	PS 12 S Mag.	12	2 $\frac{3}{4}$	4	1 $\frac{1}{2}$	2, 4, 5, 6 (Mag.)
	PS 12 H Mag.	12	3	4 $\frac{1}{2}$	1 $\frac{7}{8}$	BB, 2, 4 (Mag.)
	PS 12 Mag.	12	3	4 $\frac{1}{4}$	1 $\frac{5}{8}$	2, 4, 6 (Mag.)
	PS 16 C Mag.	16	2 $\frac{3}{4}$	3 $\frac{1}{2}$	1 $\frac{1}{4}$	2, 4, 6 (Mag.)
	PS 20 S Mag.	20	2 $\frac{3}{4}$	3	1 $\frac{1}{8}$	2, 4, 6, 7 $\frac{1}{2}$ (Mag.)
	PS 20 H Mag.	20	3	3 $\frac{1}{4}$	1 $\frac{1}{4}$	2, 4, 6, 7 $\frac{1}{2}$ (Mag.)

†Remington Brand Only. • *Supplied in Paper Shells Only.

PETERS "HIGH VELOCITY" PLASTIC SHOTGUN SHELLS

CONTINUED
NEXT PAGE



	LOAD NUMBER	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	STANDARD SHOT SIZES
BUCKSHOT LOADS	PS 12 BK	12	2¾	3¾	—	00 Buck-9 Pellets
	PS 12 BK	12	2¾	3¾	—	0 Buck-12 Pellets
	PS 12 BK	12	2¾	3¾	—	1 Buck-16 Pellets
	PS 12 BK	12	2¾	3¾	—	4 Buck-27 Pellets
	PS 16 BK	16	2¾	3	—	1 Buck-12 Pellets
	PS 20 BK	20	2¾	2¾	—	3 Buck-20 Pellets
MAGNUM BUCKSHOT LOADS	PS 12 S Mag. BK	12	2¾	4	—	00 Buck-12 Pellets
	PS 12 H Mag. BK	12	3	4½	—	00 Buck-15 Pellets
	PS 12 H Mag. BK	12	3	4½	—	4 Buck-41 Pellets
RIFLED SLUG LOADS	PS 12 RS	12	2¾	3¾	1	Rifled Slug
	PS 16 RS	16	2¾	3	7/8	Rifled Slug
	PS 20 RS	20	2¾	2¾	5/8	Rifled Slug
	*410 RS	410	2½	—	½	Rifled Slug

*Supplied in Paper Shells Only.

FIELD LOADS

LOAD NUMBER	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	STANDARD SHOT SIZES
PV 12 L	12	2¾	3	1	4, 5, 6, 8
PV 12 M	12	2¾	3	1⅛	4, 5, 6, 8, 9
PV 12 H	12	2¾	3¼	1⅛	4, 5, 6, 7½, 8, 9
*7170	12	2¾	3¼	1¼	7½, 8
*N 7170	12	2¾	3¼	1¼	7½, 8 (nickel)
PV 16	16	2¾	2½	1	4, 5, 6, 8, 9
PV 16 H	16	2¾	2¾	1⅛	4, 5, 6, 7½, 8, 9
PV 20	20	2¾	2¼	⅞	4, 5, 6, 8, 9
PV 20 M	20	2¾	2½	1	4, 5, 6, 7½, 8, 9
PVS 12	12	2¾	3	1⅛	8
PVS 16	16	2¾	2½	1	8
PVS 20	20	2¾	2¼	⅞	8

SCATTER LOADS



*Supplied in Paper Shells Only.

PV 16 H and PV 20 M with No. 7½ and 8 shot are also recommended for 16 and 20 ga. trapshooting.

PETERS "VICTOR" PLASTIC SHOTGUN SHELLS

	LOAD NUMBER	GAUGE	LENGTH SHELL IN INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	STANDARD SHOT SIZES
"VICTOR" PLASTIC TRAP & SKEET WITH "POWER PISTON" WAD	PP 12 M	12	2¾	3	1⅞	7½, 8, 9
	PP 12 L	12	2¾	2¾	1⅞	7½, 8, 9
"VICTOR" PLASTIC TRAP & SKEET WITH "H" WAD	P 12 M	12	2¾	3	1⅞	7½, 8, 9
	P 12 L	12	2¾	2¾	1⅞	7½, 8, 9
	P 16	16	2¾	2½	1	9
	P 20	20	2¾	2¼	⅞	9
PV 16 H and PV 20 M with No. 7½ and 8 shot are also recommended for 16 and 20 ga. Trapshooting.						
"VICTOR" PAPER TRAP & SKEET WITH "POWER PISTON" WAD	P 7160	12	2¾	3	1⅞	7½, 8, 9
	P 7120	12	2¾	2¾	1⅞	7½, 8, 9
"VICTOR" PAPER TRAP & SKEET	7160	12	2¾	3	1⅞	7½, 8, 9
	7120	12	2¾	2¾	1⅞	7½, 8, 9
	7539	16	2¾	2½	1	9
	7739	20	2¾	2¼	⅞	9
"HIGH VELOCITY" PAPER SKEET	289	28	2¾	2¼	¾	9
	7199	410	2½		½	9
	7139	410	3		¾	9



PETERS TRAP AND SKEET LOADS

SUGGESTED SHOT SIZES FOR GAME

GAME	SHELL	SHOT SIZE	SUGGESTED CHOKES
DUCKS	Peters "High Velocity"	4, 5, 6	FULL — For Pass Shooting MODIFIED — Over Decoys
GEESE	Peters "High Velocity"	BB, 2, 4	FULL
PHEASANTS	Peters "High Velocity"	5, 6	MODIFIED FULL — For Long Cornfield Shots
GROUSE, PARTRIDGE	Peters "High Velocity" or Peters "Victor"	5, 6 7½, 8	IMPROVED CYLINDER OR MODIFIED — For Brush Work FULL — For Open Ranges
QUAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
DOVES, PIGEONS	Peters "High Velocity" or Peters "Victor"	6, 7½, 8	MODIFIED
WOODCOCK	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER MODIFIED
RABBITS	Peters "High Velocity" or Peters "Victor"	4, 5, 6	IMPROVED CYLINDER OR MODIFIED — For Brush FULL — For Long Open Shots
SQUIRRELS	Peters "High Velocity"	5, 6	MODIFIED
RAIL	Peters "Victor"	7½, 8, 9	IMPROVED CYLINDER
TURKEY	Peters "High Velocity"	BB, 2, 4	FULL
FOX	Peters "High Velocity"	BB, 2	FULL
DEER, BLACK BEAR, WOLF	Peters "High Velocity"	Rifled Slug and Buck Shot	For rifled slugs . . . any choke For buckshot loads . . . full choke

SHOT

NUMBER	DIAM. IN INCHES	APPROX. PELLETS IN 1 OZ.
● 12	.05	2385
● 9	.08	585
● 8	.09	410
● 7½	.09½	350
● 6	.11	225
● 5	.12	170
● 4	.13	135
● 2	.15	90
● BB	.18	50


BUCK SHOT

NUMBER	DIAM. IN INCHES	APPROX. PELLETS IN 1 LB.
● 4	.24	340
● 3	.25	300
● 1	.30	175
● 0	.32	145
● 00	.33	130

REMINGTON **MODEL 1100** Automatic Shotgun

- **NOW IN 12, 16 AND 20 GAUGE**, also available in 3" magnum duck gun in 12 and 20 gauge, skeet gun in 12 and 20 gauge, and trap gun in 12 gauge only.
- **CUSTOM DESIGN THROUGHOUT** — including fleur-de-lis checkering, decorative scroll work, new high-gloss wood and metal finishes, plus decorative spacers and diamond inlay.
- **LIGHT RECOIL.** Less recoil "jolt" means you're back on target faster and surer.
- **LONGER SHOOTING LIFE** than any other automatic shotgun, proved in over 500,000 test-fired shells . . . beefed up throughout for greater strength and dependability.
- **PLUS THESE EXTRA ADVANTAGES:** shoots all standard length shells without adjustment . . . self-cleaning action . . . twice as easy to load and unload as other automatics . . . perfect weight and balance.

From \$149.95*



*Scientifically designed
to make everyone a better shot!*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.


S P E C I F I C A T I O N S

STYLE	5-shot gas operated automatic shotgun.
GAUGE	12, 16 and 20.
BARREL	High Strength Remington Proof steel. Extra barrel is interchangeable within gauge.
SAFETY	Convenient cross-bolt type, positive.
RECEIVER	Made from solid steel, top matted, scroll work on bolt and both sides of receiver.
WEIGHT	12 gauge about 7½ lbs. 16 gauge about 7¼ lbs. 20 gauge about 7 lbs.
STANDARD STOCK DIMENSIONS	Stock and fore-end: custom checkered American walnut. 14" long, 2½" drop at heel, 1½" drop at comb.

REMINGTON **MODEL 11-48** Automatic Shotgun

- **SMOOTH OPERATING RECOIL SYSTEM** gives you (and half a million other shooters who have bought this model) complete dependability and functioning reliability.
- **AVAILABLE IN ALL 5 GAUGES** and whether you select a 12, a 16, a 20, a 28 or a .410, you get built-in shooting satisfaction.
- **BIG 5-SHOT CAPACITY** (4 in the 28 and .410 models) gives extra game-getting assurance . . . reserve fire power.
- **SKEET MODELS, TOO** . . . in 12, 20, 28 and .410 gauge, for new clay target shooting enjoyment with perfectly balanced, easy swinging guns.

From \$134.95*



*The world's only automatic
shotgun made in all 5 gauges!*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

STYLE	5 shot automatic shotgun — 4 shot in 28 and 410 gauges.
GAUGES	12, 16, 20, 28 and 410.
BARREL	Remington Proof Steel—extra barrel interchangeable within gauge.
SAFETY	Convenient cross-bolt type, positive.
RECEIVER	Made from solid steel, top matted.
WEIGHT	12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.; 28 ga. - 6¼ lbs.; 410 ga. - 6¼ lbs.


STANDARD STOCK DIMENSIONS

Stock and fore-end: custom
checkered American walnut.
12, 16, 20 gauge — 14" long,
2½" drop at heel, 1½" drop
at comb. 28 and 410 gauge —
13¾" long, 2½" drop at
heel, 1½" drop at comb.

REMINGTON MODEL 870 "Wingmaster" Pump Action Shotgun

- **CHOICE OF 12, 16 OR 20 GAUGE** 5-shot capacity; also available in 3" magnum duck gun in 12 and 20 gauge, skeet gun in 12 and 20 gauge, special rifled slug and buckshot deer gun in 12 gauge only, and trap gun in 12 gauge only.
- **DE LUXE FINISHING DETAILS** like fine-line checkering, fluted fore end, decorated grip cap, high-gloss wood finish make it the most handsome pump model on the market.
- **DOUBLE ACTION-BARS** (most pumps have only one) insure smooth-gliding action, faster firing, unequaled reliability . . . and long life.
- **FIRE CONTROL FOR EXTRA SAFETY** — trigger must be released between shots. Will not fire if trigger is pulled while closing action.

From \$99.95*



*"Old Reliable" — owned
and enjoyed by more than a million men!*


S P E C I F I C A T I O N S

STYLE	5 shot pump action shotgun. Take down.
GAUGES	12, 16 and 20.
BARREL	Special Remington proof steel. Extra barrel is interchangeable within gauge.
SAFETY	Convenient cross-bolt type, positive.
RECEIVER	Made from solid steel, top matted.
WEIGHT	20 ga. - 6½ lbs.; 16 ga. - 6¾ lbs.; 12 ga. without "Vari- Weight" steel plug - 7 lbs., with steel plug - 7¾ lbs.
STANDARD STOCK DIMENSIONS	Stock and fore-end: custom checkered American walnut. 14" long, 2½" drop at heel, 1⅝" drop at comb.

REMINGTON **MODEL 742** "Woodsmaster" Automatic Rifle

- **5-SHOT, GAS-OPERATED ACTION** puts maximum fire-power in your hands for all American big game . . . amazingly accurate . . . in a choice of these calibers: 280 Remington, 30-06, 308 Win. and the sensational new 6 mm Remington.
- **ROTARY MULTIPLE LUG BREECH BOLT** locks barrel and bolt together securely, insures constant head space.
- **"POWER-MATIC"** gas take-off system softens recoil and barrel whip . . . with no power loss; lets you get back on target for successive shots.
- **AVAILABLE IN REGULAR LENGTH** (22") barrel or carbine barrel (18½").

From \$149.95*



*The super-accurate
automatic gun for big game!*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S


CALIBERS	6 mm Rem., 280 Rem., 30-06, 308 Win. — Model 742C Carbine, 30-06 and 308 Win.
CAPACITY	4 in clip magazine plus one in chamber.
BARREL LENGTH	22" — 742 C Carbine 18½".
OVER-ALL LENGTH	42" — 742 C Carbine 38½".
RECEIVER	Drilled and tapped for 'scope mounts. Removable clip magazine.
SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	7½ lbs. — 742 C Carbine 7¼ lbs.
STANDARD STOCK DIMENSIONS	Stock and fore-end: custom checkered American walnut. 13¼" long, 2¼" drop at heel, 1¾" drop at comb.

REMINGTON **MODEL 760** "Gamemaster" Pump Action Rifle

Now also in new 223 Remington caliber.

- **FREE FLOATING BARREL** for extra accuracy . . . plus the smoothest manual action you've ever enjoyed.
- **WORLD FAMOUS FOR RELIABILITY** — a consistent winner in the International Running Deer Matches . . . a favorite with hunters everywhere.
- **PERFECTLY BALANCED, FAST SWINGING** . . . made to help you get off fast second shots.
- **5-SHOT FIRE POWER** . . . in a choice of popular calibers; 280 Remington, 270 Win., 30-06, 308 Win., 35 Remington . . . and the new 223 Remington.
- **FIRE CONTROL FOR EXTRA SAFETY** — trigger must be released between shots. Will not fire if trigger is pulled while closing action.

From \$129.95*



*Lightning-fast "ball-bearing"
pump action helps you get more game!*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S


CALIBERS	223 Rem., 270 Win., 280 Rem., 30-06, 308 Win., 35 Rem. — Model 760C carbine, 30-06, 308 Win., 35 Rem.
CAPACITY	4 in clip magazine, plus one in chamber. (5 in 223 Rem. cal.).
BARREL LENGTH	22" — 760 C Carbine 18½"
OVER-ALL LENGTH	42" — 760 C Carbine 38½".
RECEIVER	Drilled and tapped for 'scope mounts. Removable clip magazine.
SIGHTS	Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw.
WEIGHT	7½ lbs. — 760 C Carbine 7¼ lbs.
STANDARD STOCK DIMENSIONS	Stock and fore-end: custom checkered American walnut. 13¼" long, 2¼" drop at heel, 1¾" drop at comb.

NEW REMINGTON **MODEL 600** Bolt Action Carbine

- **VENTILATED RIB AND MATTED TOP SURFACE** give quick sight-line for faster shots at running game. Length (37¼") and weight (only 5½ lbs.) make it ideal for brush shooting, packing in saddle scabbard or rack of pick-up truck.
- **DE LUXE CRAFTSMANSHIP AND FINISH** with custom checkering, high-gloss wood finish, rich American walnut Monte Carlo stock, fluted comb, forward curved bolt handle, large trigger guard.
- **WORLD'S STRONGEST BOLT ACTION** surrounds cartridge head with 3 rings of steel; free-floating Remington precision-rifled barrel for consistent accuracy, shot after shot.
- **CHOICE OF 4 HARD-HITTING CALIBERS:** Brush busting 35 Remington, powerful 308 Win., game-stopping 6 MM Remington or varmint-accurate 222 Remington.

From \$99.95*

*Fair Trade Retail Price in States Having Fair Trade Laws.
Prices Subject to Change Without Notice.



*Light, fast and good-looking
... with the power and accuracy you need to get your game!*

S P E C I F I C A T I O N S

CALIBERS	35 Rem., 308 Win., 6 MM Rem., 222 Rem.
CAPACITY	222 six-shot; others 5-shot.
BARREL LENGTH	Tapered, Remington Proof Steel, 18½" with Ventilated Rib, matted between sights.
OVERALL LENGTH	37¼".
RECEIVER	Drilled and tapped for 'scope mounts. Fixed magazine.
STANDARD STOCK DIMENSIONS	Stock and fore-end: custom checkered American walnut. 14" length of pull, 2" drop at heel, 1⅝" drop at comb.
SIGHTS	Blade ramp front sight with brass bead. "U" notch rear sight adjustable for windage and elevation with screws.
WEIGHT	5½ lbs.

REMINGTON MODEL 700 ADL & 700 BDL Bolt Action Big Game Rifles

ADL model from \$119.95*



WORLD'S STRONGEST BOLT

three rings of steel surround the cartridge head.

SUPER ACCURATE the finest bolt action rifle Remington has ever made.

WIDE CHOICE OF CALIBERS "From chucks to elephants" . . . including the hot new 6 mm Remington.

STYLED AND DESIGNED with custom-finish details that belong on such a fine gun: Monte Carlo stock with cheek piece — turned-down, swept-back bolt handle — fancy checkering — hinged floor plate — hooded ramp front sight — sling strap and quick release swivels — black fore end tip. Model 700 ADL without hinged floor plate, sight hood, strap, swivels or black fore end tip.

BDL model from \$144.95*



*Made for the man who wants
the best bolt action rifle made!*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S • M O D E L 7 0 0 A D L A N D M O D E L 7 0 0 B D L

CALIBERS	ADL — 222 Rem., 222 Rem. Mag., 6 mm Rem., 243 Win., 264 Win. Mag., 270 Win., 280 Rem., 7 mm Rem. Mag., 30-06, 308 Win.; BDL same calibers plus 300 Win. Mag., 375 H&H Mag., 458 Win. Mag.	RECEIVER	Drilled and tapped for 'scope mounts. Fixed magazine. BDL has hinged floor plate.
CAPACITY	Six — 222 Rem., 222 Rem. Mag. Five — 6 mm Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. Four — 264 Win. Mag., 7 mm Rem. Mag., 300 Win. Mag., 375 H&H Mag., 458 Win. Mag.	SIGHTS	Flat faced gold bead with ramp front sight (hooded on BDL). Step adjustable rear sight with windage adjustment screw.
		SAFETY	Positive Thumb type.
BARREL LENGTH	20" — 6 mm Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" — 222 Rem., 222 Rem. Mag. 24" Stainless Steel Barrel — 264 Win. Mag., 7 mm Rem. Mag., 300 Win. Mag. 26" — 375 H&H Mag., 458 Win. Mag.	WEIGHT	6½ lbs. — 270 Win., 280 Rem., 30-06, 308 Win. 6¾ lbs. — 222 Rem., 222 Rem. Mag., 6 mm Rem., 243 Win. 7¾ lbs. — 264 Win. Mag., 7 mm Rem. Mag., 300 Win. Mag. 9 lbs. — 375 H&H Mag., 458 Win. Mag.
		STANDARD STOCK DIMENSIONS	Stock: custom checkered American walnut. BDL grade includes sling strap and swivels. 13⅝" length of pull, 2⅜" drop at heel, 1⅞" drop at comb (from open sight line).
OVER-ALL LENGTH	39⅝" — 6 mm Rem., 243 Win., 308 Win. 40½" — 270 Win., 280 Rem., 30-06. 43⅝" — 222 Rem., 222 Rem. Mag. 44½" — 264 Win. Mag., 7 mm Rem. Mag., 300 Win. Mag. (includes recoil pad) 46⅝" — 375 H&H Mag., 458 Win. Mag. (includes recoil pad)	300 Win. Mag., 375 H&H Mag., 458 Win. Mag. Available in BDL grade only.	

REMINGTON **NYLON 66** Automatic 22 Rifle

- **STOCK AND FORE END OF DU PONT "ZYTEL"** — the "gunmaker's nylon" that is guaranteed not to warp, crack, chip, fade or peel for the life of the rifle — or we'll replace it free.
- **HOLDS THE WORLD ACCURACY RECORD** — over 100,000 2½" wood block aerial targets broken with only a half dozen misses.
- **SHARP, FINE LINE CHECKERING**, white spacers and diamond inlays give it custom-crafted eye-appeal and beauty.
- **AVAILABLE IN CHOICE OF COLORS:** Mohawk Brown or "presentation grade" Apache Black with chrome-plate barrel.
- **EXTRA FIRE POWER** — tubular magazine . . . shoots 14 long rifle cartridges fast as you can pull the trigger.

Mohawk Brown \$ 49.95* • Apache Black \$ 54.95*

*Fair Trade Retail Price in States Having Fair Trade Laws.
Prices Subject to Change Without Notice.



Lustrous chrome metal and sleek black nylon make this a "presentation" piece with extra style and value!

S P E C I F I C A T I O N S

ACTION	Automatic.
CALIBER	22 long rifle. Rim Fire.
CAPACITY	Tubular magazine thru butt stock. Holds 14 long rifle cartridges.
STOCK	Du Pont "ZYTEL"® nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end.
SIGHTS	Rear sight adjustable for Windage and Range, blade front, common sight line for iron sights and 'scope.
SAFETY	Top-of-grip, Positive.
RECEIVER	Grooved for "tip-off" 'scope mounts.
OVER-ALL LENGTH	38½".
COLOR	Mohawk Brown & Apache Black.
WEIGHT	4 lbs.

REMINGTON **NYLON 76** Lever Action 22 Rifle

- **STOCK & FORE END OF DU PONT "ZYTEL"** that guarantees greater accuracy because nylon never swells, shrinks or warps. Once a shooter sets the sights they stay sighted in.
- **SHORT, 35° LEVER THROW** for genuine "Old West" gun handling satisfaction . . . a flick of the wrist and you're ready for the next shot.
- **TUBULAR MAGAZINE** hold 14 long rifle cartridges — adjustable rear sight — fine line checkering — receiver grooved for scope mounts.
- **CHOICE OF COLORS AND FINISHES:** Mohawk Brown or Apache Black with chrome plated barrel.

Mohawk Brown \$ 59.95* • Apache Black \$ 64.95*

Modern super-accuracy . . . plus fast-firing lever action fun!

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.



Handsome black-and-chrome styling for extra value, extra eye-appeal!

S P E C I F I C A T I O N S

ACTION	Lever Action Repeater.
CALIBER	22 long rifle Rim Fire.
CAPACITY	Tubular magazine thru butt stock. Holds 14 long rifle cartridges.
STOCK	Du Pont "ZYTEL"® nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. Black fore-end tip.
SIGHTS	Rear sight adjustable for Windage and Range, blade front, common sight line for iron sights and 'scope.
SAFETY	Top-of-grip, positive.
RECEIVER	Grooved for "tip-off" 'scope mounts.
OVER-ALL LENGTH	38½".
COLOR	Mohawk Brown and Apache Black.
WEIGHT	4¼ lbs.

REMINGTON **MODEL 552** "Speedmaster" Automatic 22 Rifle

- **MADE LIKE A BIG GAME RIFLE**, with sleek, streamlined receiver that speeds aiming and fast-moving game.
- **EXTRA FIRE-POWER IN RESERVE** — holds up to 20 cartridges (handles short, long or long rifle) — yet can be single loaded for coaching new shooters.
- **"SHOOTER'S CHOICE" OF BARRELS** — Regular rifle barrel or fast-handling, short (21") carbine barrel . . . both with perfect weight and balance.
- **HANDSOME APPEARANCE AND STYLE**, with graceful American walnut stock and fore end, finely finished metal parts, receiver grooved for scope mounts.

\$ 55.95*



*Fair Trade Retail Price in States Having Fair Trade Laws.
Prices Subject to Change Without Notice.


S P E C I F I C A T I O N S

ACTION	Automatic.
CALIBER	22 Rim Fire.
CAPACITY	Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges.
STOCK	American walnut.
SIGHTS	Adjustable rear sight, bead front.
SAFETY	Convenient cross-bolt type, Positive.
RECEIVER	Grooved for "tip-off" scope mounts.
OVER-ALL LENGTH	42". — Carbine 40".
WEIGHT	5¾ lbs.

REMINGTON **MODEL 550** Automatic 22 Rifle

- **ALL-CARTRIDGE VERSATILITY FOR EXTRA SHOOTING FUN** ... handles short, long or long rifle cartridges . . . interchangeably and without adjustment.
- **FAST-HANDLING FOR FAST SHOOTING** — weighs about 6¼ lbs., is perfectly balanced for easy swinging, instant aiming.
- **READILY DISASSEMBLED AND ASSEMBLED** — easy take-down stock is convenient for traveling, storage, packing, etc.
- **"SHOOTER'S CHOICE" SIGHTING** — Use either the iron sights as furnished (adjustable rear, open front) or your own telescopic sight . . . receiver is grooved for tip-off scope mounts.

\$ 49.95*



*Made for plinking and hunting sport
... with the big-game rifle feel*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Automatic
CALIBER	22 Rim Fire.
CAPACITY	Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges.
STOCK	American walnut.
SIGHTS	Adjustable rear sight, bead front.
SAFETY	Thumb style, Positive.
RECEIVER	Grooved for "tip-off" 'scope mounts.
OVER-ALL LENGTH	43½".
WEIGHT	6¼ lbs.

SPECIFICATIONS

REMINGTON BOLT ACTION 22 RIFLES...

MODERN NYLON We guarantee that this stock will not warp, crack, chip, fade or peel for the life of the rifle — or we will replace it free. Only Remington can make such a guarantee because only Remington makes precision-built stocks of tough, structural Du Pont "ZYTEL"® nylon. More expensive than and superior to ordinary wood, "ZYTEL"® makes this the most accurate, rugged and dependable 22 sporting rifle you can buy anywhere.



*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

ACTION	Bolt Action.
CALIBER	22 short, long, long rifle Rim Fire.
CAPACITY	Nylon 10 — Single Shot. Nylon 11 — Clip magazine. Holds 6 cartridges. Nylon 12 — Tubular magazine. 21 short, 16 long, 14 long rifle.
STOCK	Du Pont "ZYTEL"® nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end.
SIGHTS	Rear sight adjustable for Windage and Range, blade front, common sight line for iron sights and 'scope.
SAFETY	Positive Thumb Safety. Red dot indicator shows when ready to fire.
RECEIVER	Grooved for "tip-off" scope mounts.
OVER-ALL LENGTH	43".
COLOR	Mohawk Brown.
WEIGHT	Approximately 4 lbs.

in choice of nylon or American Walnut

AMERICAN WALNUT Beautiful wood — new, 24-inch precision barrels — fully adjustable rear sights . . . all models shoot short, long or long rifle cartridges. All have black butt plate, ramp type blade front sight with white dot, all-steel receivers grooved for "tip-off" 'scope mounts, red dot firing indicator, automatic ejector, double cocking cams, double locking lugs, double extractors. All 42" overall length.



*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

CAPACITY

510X, single shot;
511X, 6-shot clip magazine
(10-shot clip also available);
512X, tubular magazine holds
21 short, 16 long or 14 long
rifle cartridges . . . shoots
intermixed cartridges.

SAFETY

Side lever thumb type at rear
of bolt handle. 510X goes on
"safe" automatically when
bolt is closed.


WEIGHT

510X, 4¾ lbs.
511X, 5 lbs.
512X, 5¼ lbs.

REMINGTON **MODEL 572** "Fieldmaster" Pump Action 22 Rifle

- **TUBULAR MAGAZINE** holds 20 short, 17 long or 15 long rifle cartridges.
- **EASY SINGLE LOADING** through ejection port.
- **EXTRA SAFETY FEATURE:** Trigger must be released and pressed for each shot. Gun won't fire if trigger's pulled while action is being closed.
- **STREAMLINED RECEIVER** the look and feel of a Remington big-game rifle. Available in regular rifle length.

\$ 58.95*



*Made for plinking and hunting sport
... with the big-game rifle feel*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Pump Repeater.
CALIBER	22 Rim Fire.
CAPACITY	Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges.
STOCK	American walnut.
SIGHTS	Blade front, open rear, adjustable.
SAFETY	Cross-bolt type, Positive.
RECEIVER	Grooved for "tip-off" 'scope mounts.
OVER-ALL LENGTH	42".
WEIGHT	5½ lbs.

REMINGTON **MODEL 514-A** Bolt Action 22 Rifle

- **MAKES PERFECT BOY'S FIRST RIFLE** — for beginning shooter — single shot — adjustable rear sight.
- **SELF-COCKING BOLT** — rotary thumb safety, knurled for easy, positive handling.
- **SHOOTS ALL 3 CARTRIDGES** — short, long, long rifle.
- **AVAILABLE IN 2 SIZES**—Regular Length or in Boy's Rifle version with special shortened stock.

\$21.95*



*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Bolt Action Single Shot.
CALIBER	22 short, long, long rifle Rim Fire.
CAPACITY	Single Shot.
STOCK	American Walnut.
SIGHTS	Blade front, open rear.
SAFETY	Rotary Thumb Safety, positive.
RECEIVER	Made from solid steel.
OVER-ALL LENGTH	41 $\frac{1}{8}$ " Model 514BR (Boy's Rifle) 40 $\frac{1}{8}$ ".
BARREL	24" round.
WEIGHT	5 lbs. — 514BR, 4 $\frac{1}{4}$ lbs.

REMINGTON MODEL 40XB "Rangemaster" Target Rifle

- **CHOICE OF CHAMPIONS** . . . world's finest target rifle, with specially selected precision-rifled barrel, extra strong bolt with oversize locking lugs for constant head space.
- **MADE FOR FINEST ACCURACY**, with 'group-tightener' tuning screws for easy adjustment of barrel-bedding . . . new 'miracle' adjustable trigger with fast let-off, no backlash . . . adjustable front swivel to suit all positions.
- **"SHOOTER'S CHOICE"** of 22 rim fire caliber or center fire calibers . . . choice of standard or heavy barrels.
- **CUSTOM STYLED, HANDSOME** . . . with high comb stock, Merston White Line butt plate, grooved comb, rich American Walnut stock.

From \$154.95*

RIM FIRE & CENTER FIRE



****CENTER FIRE CALIBERS:** 222 Rem., 222 Rem. Mag., 22-250, 6x47, 6 mm International, 6 mm Rem., 244 Rem., 6.5x55, 7 mm Rem. Mag., 308 Win., 30-06, 300 H&H Mag., and 30-338.

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Bolt, Single Shot.
CALIBER	22 Rim Fire. ** Center Fire.
CAPACITY	Single loading. Long Rifle only.
SIGHTS	Redfield Olympic front & rear sights optional.
SAFETY	Thumb Safety, Positive.
RECEIVER	Drilled & tapped for iron sights or 'scope mounts.
BARREL LENGTH	27¼".
LENGTH OF PULL	13½". (Trigger Adjustable 1 to 3½ lbs.)
STOCK	American Walnut.
OVER-ALL LENGTH	50½".
WEIGHT	With Redfield sights heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

REMINGTON **MODEL 513 T** "Matchmaster" Target Rifle

- **STOCK SPECIALLY PROPORTIONED** for accurate sighting, steady holding.
- **COMPLETE AND READY TO SHOOT**, with Redfield micrometer front and rear sights, leather sling, and adjustable swivel, 6-shot box magazine . . . no extras to buy.
- **MADE FOR ACCURACY**, with adjustable trigger pull, heavy 27" barrel, receiver drilled and tapped for scope mounts, fast firing-pin travel.
- **ATTRACTIVELY STYLED** with rich American walnut stock, swept-back bolt handle, sharply checkered, wide butt plate, wide beaver-tail fore end.

From \$66.45*



*Fair Trade Retail Price in States Having
Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Bolt, Repeater.
CALIBER	22 Rim Fire.
CAPACITY	6-shot Clip magazine. 10-shot Clip available. Long Rifle only.
SIGHTS	Redfield micrometer front & rear sights optional.
SAFETY	Thumb Safety, Positive.
RECEIVER	Drilled & tapped for iron sights or 'scope mounts.
BARREL LENGTH	27".
LENGTH OF PULL	13½". (Trigger to center of butt plate.)
STOCK	American Walnut. Sling Strap.
OVER-ALL LENGTH	45".
WEIGHT	8¾ lbs.

REMINGTON **MODEL 521 T** Target Rifle

- **DUAL-PURPOSE VERSATILITY** — a combination hunting and target rifle ideal for game and for competition shooting.
- **FULLY EQUIPPED** and ready for use, with micrometer rear sight, blade front sight, sling strap and swivel, 6-shot box magazine.
- **PERFECT BALANCE AND HANDLING EASE**, with stock specially proportioned for accurate sighting, sure, steady holding.
- **MADE FOR PRECISION SHOOTING**, with self-cocking bolt, corrugated trigger, double extractors, 25-inch round, tapered barrel, receiver drilled and tapped for Lyman 57 RS peep sight.

\$59.95*



*Fair Trade Retail Price in
States Having Fair Trade Laws.
Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Bolt, Repeater.
CALIBER	22 Rim Fire.
CAPACITY	6-shot Clip magazine. 10-shot Clip available. Long Rifle only.
SIGHTS	Micrometer rear, blade front.
SAFETY	Thumb Safety, Positive.
RECEIVER	Drilled & tapped for Lyman 57 RS peep sight.
BARREL LENGTH	25".
LENGTH OF PULL	13½". (Trigger to center of butt plate.)
STOCK	American Walnut. Sling Strap.
OVER-ALL LENGTH	42¾".
WEIGHT	6½ lbs.

The **New** REMINGTON XP-100 Long Range Pistol



**BOLT ACTION,
SINGLE SHOT, CENTER FIRE**
and chambered for the hot
new 221 Remington "Fire Ball" cartridge with
almost unbelievable ballistics: 2650 fps at the muzzle.

ONE-PIECE DU PONT "ZYTEL"® STOCK
the "gunmaker's nylon" that gives this pistol more
durability, rifle accuracy, distinctive
and lasting good looks.

MADE FOR VARMINTS, HUNTING, TARGET SHOOTING
and it shoots a cartridge faster, farther and flatter than any handgun you've ever held.

DRILLED AND TAPPED FOR SCOPE MOUNTS, rear sight adjustable for windage and
elevation. Grip fits either left or right hand. Fore-end cavities for adding weights.

\$ 99.95*

*Fair Trade Retail Price in States Having Fair Trade Laws. Prices Subject to Change Without Notice.

S P E C I F I C A T I O N S

ACTION	Bolt, solid frame.
CALIBER	221 Remington "Fire Ball".
CAPACITY	Single shot.
STOCK	Du Pont "ZYTEL"®.
SIGHTS	Fixed front; rear adjustable for windage and elevation.
TRIGGER	Match type; grooved.
LENGTH	Barrel 10½". Overall 16¾"
WEIGHT	3¾ lbs., with zipper case 7 lbs.

**PETERS
SPORTING
AMMUNITION**

FOR SHOTGUNS, RIFLES,
PISTOLS AND REVOLVERS



87 61



PETERS
DU PONT

Form No. AP25-3 • Printed in U.S.A.

PETERS CARTRIDGE DIVISION, REMINGTON ARMS COMPANY, INC., BRIDGEPORT, CONNECTICUT 06602

69
29
291